


ARCHITECTURE
PLANNING

COLORADO:
10831 EAGLE CREST LANE
PARKER, COLORADO 80138
P 303.840.0020
F 303.840.2299

MONTANA:
P.O. BOX 161488
11 LONE PEAK DR., UNIT 206
BIG SKY, MONTANA 59716
P 406.995.7572
F 406.995.7477

www.oentresky.com



BACKFILLS TO BE OBSERVED & TESTED DURING PLACEMENT.
CONTACT WESTERN TECHNOLOGIES INC.
ALL FINISH GRADES TO BE A MIN. OF 8" BELOW TOPS OF
FOUNDATION WALL.

NO FILLS SHOULD BE PLACED OVER FROZEN GROUND

REFER TO SOILS REPORT FOR ALL SPECIFICATIONS PERTAINING TO SLAB ON GRADE, FOOTING, FOUNDATION WALL, GRADE, AND SLAB REQUIREMENTS.

THE UNDERFLOOR GRADE SHALL BE CLEANED OF ALL VEGETATION AND ORGANIC MATERIAL. ALL WOOD FORMS USED FOR PLACING CONCRETE SHALL BE REMOVED, AND ALL CRAWL SPACES SHALL BE CLEANED OF ALL CONSTRUCTION DEBRIS BEFORE STRUCTURE IS OCCUPIED.

STAUDER RANCH
LOT 7 - SAN JUAN RANCH
814 HULL RIDGE ROAD
MONTROSE, COLORADO 81401

NOT FOR
CONSTRUCTION



Issued For	Date
100% S.D.	06/08/
DRB REVIEW	07/06/
Drawn By	E. Appeldoorn
Date	November 05, 200
Project #	052201
Phase	95% C.D.
Sheet	

Sheet
A3-0.3

BUILDING
SECTIONS